

.

From: Service Desk <servdesk@facil.umass.edu>
Sent: Monday, February 28, 2011 11:09 AM
To: Hanchett, James (DPH)
Subject: Fw: WReq Entry for Morrill I

11-006685-000
PLEASE DO NOT REPLY TO THIS EMAIL
PLEASE CONTACT THE SERVICE DESK @ 545-6401 IF YOU HAVE QUESTIONS OR CONCERNS
ABOUT YOUR WORK ORDER - PLEASE HAVE YOUR WORK ORDER # HANDY
THANK YOU,
SERVICE DESK

----- Original Message -----

From: Bud Cobb
To: Service Desk
Sent: Monday, February 28, 2011 10:27 AM
Subject: Fwd: WReq Entry for Morrill I

Please create a service call work order for the zone plumb. (JPC)

----- Original Message -----

Subject: WReq Entry for Morrill I
Date: Mon, 28 Feb 2011 10:17:44 -0500 (EST)
From: UMass Phys Plant <no-reply@wufoo.com>
Reply-To: no-reply@wufoo.com
To: custreq@facil.umass.edu, umappd@gmail.com

Your name *	Jim Hanchett
Department *	Massachusetts Public Health
Mailing address *	Room N251 Morrill I 637 North Pleasant Street amherst, MA 01003
Email *	james.hanchett@state.ma.us
Phone *	(413) 545-2607
Fax	(413) 545-2608
Building requiring work *	Morrill I
Room number/location *	N251B
Describe work requested *	Water leaking from drain pipe in closet.